

## Multi-Deck **FC20-07 (Cuba)**




- ▼ Thanks to a compact cubic external dimensions and ergonomic design Multi-Deck FC20-07 allow you to effectively use the trade space
- ▼ Night curtain of the front part and double-glazed windows with energy-saving glass the side panels provide up to 30% energy saving

***Carboma***<sup>®</sup>

## TECHNICAL PARAMETERS

Model	Overall dimensions, mm	Cooling area, m <sup>2</sup>	Net (cooled) volume, m <sup>3</sup>	Operating temperature, °C
0,6	600x710x1930 (1980)	1,05	0,21	0...+7
0,7	740x710x1930 (1980)	1,34	0,27	0...+7
1,0	1060x710x1930 (1980)	2,0	0,4	0...+7
1,3	1330x710x1930 (1980)	2,57	0,51	0...+7
1,9	1955x710x1930 (1980)	3,87	0,77	0...+7
2,5	2580x710x1930 (1980)	5,18	1,04	0...+7

### FC20-07



### COLOR SOLUTIONS







Climate class of equipment: 3  
Showcases are designed for indoor use with natural ventilation at temperature ambient air from +12°C to +25°C, relative humidity not more than 60%



### OPTIONS:

- additional shelf with brackets
- protective bumper (stainless steel pipe)
- LED-illumination of each shelf
- limiters on the shelf
- price tags h-39 mm
- any color (RAL, INOX)
- fruit set (mirror panel, limiter for two rows of shelves)
- possibility of branding
- sausage hooks



## TECHNICAL PARAMETERS

Model	Overall dimensions,mm	Cooling area,m <sup>2</sup>	Net (cooled) volume,m <sup>3</sup>	Operating temperature,°C
				
0,6 (with glass front)	600x710x1930 (1980)	1,05	0,21	-5...+5
0,7 (with glass front)	740x710x1930 (1980)	1,34	0,27	-5...+5
1,0 (with glass front)	1060x710x1930 (1980)	2,0	0,4	-5...+5
1,3 (with glass front)	1330x710x1930 (1980)	2,57	0,51	-5...+5
1,9 (with glass front)	1955x710x1930 (1980)	3,87	0,77	-5...+5
2,5 (with glass front)	2580x710x1930 (1980)	5,18	1,04	-5...+5



FC20-07  
WITH GLASS FRONT

- 1 Handle to the full height of the sash, suitable for children and adults
- 2 Energy-saving glass (up to 60% savings at medium temperature)
- 3 Self-closing mechanism
- 4 The locking of the sash in the open position, easy to load and maintenance/cleaning windows



# FC20-07 VV 1,3-1



**1** – product code, where:

- G – outdoor gastronomic showcase
- K – showcase outdoor confectionery
- F – multi-deck
- A – desktop showcase
- D – cold / freezer Cabinet
- T – cold / freezer table

**2** – design code where:

- C – cubic

**3** – key parameter of the model range, where:

- 20-07 – eight and depth of the slide

**4** – code of the cooling system, where:

- S – static
- V – dynamic/ventilated
- N – neutral

**5** – temperature mode, where:

- L – (-25°C...-12°C)
- V – (-5°C...+5°C)
- P – (-2°C...+7°C)
- M – (0°C...+10°C)
- H – more than +45°C

**6** – model code, where:

- 1,3 – length

**7** – identification code of the device where the:

- 1 – multi-deck with a glass front